





Farrell Bearings Ltd

Belts


A Section V Belts




B Section V Belts




C Section V Belts




D Section V Belts




M (Z) Section V Belts




SPA Section V Belts




SPB (5V) Section V Belts



SPC Section V Belts




SPZ (3V) Section V Belts





SPA Section V Belts

(SPAX, XPA = Cogged Belt)



Pitch Length = Inside Length + 45MM


Pitch Length = Outside Length - 17MM

Metric Size (Pitch Length MM)	Inside Length (MM)	Metric Size	Inside Length (MM)	Metric Size	Inside Length (MM)	Metric Size	Inside Length (MM)
SPA732	687	SPA1272	1227	SPA1857	1812	SPA2782	2737
SPA757	712	SPA1280	1235	SPA1882	1837	SPA2800	2755
SPA782	737	SPA1307	1262	SPA1900	1855	SPA2832	2787
SPA800	755	SPA1320	1275	SPA1907	1862	SPA2847	2802
SPA807	762	SPA1332	1287	SPA1932	1887	SPA2882	2837
SPA825	780	SPA1357	1312	SPA1950	1905	SPA2900	2855
SPA832	787	SPA1360	1315	SPA1957	1912	SPA2932	2887
SPA850	805	SPA1382	1337	SPA1982	1937	SPA2982	2937
SPA857	812	SPA1400	1355	SPA2000	1955	SPA3000	2955
SPA875	830	SPA1407	1362	SPA2032	1987	SPA3032	2987
SPA882	837	SPA1432	1387	SPA2057	2012	SPA3082	3037
SPA900	855	SPA1450	1405	SPA2060	2015	SPA3150	3105
SPA907	862	SPA1457	1412	SPA2082	2037	SPA3182	3137
SPA925	880	SPA1482	1437	SPA2120	2075	SPA3282	3237
SPA932	887	SPA1500	1455	SPA2132	2087	SPA3350	3305
SPA950	905	SPA1507	1462	SPA2180	2135	SPA3382	3337
SPA957	912	SPA1532	1487	SPA2207	2162	SPA3550	3505
SPA975	930	SPA1550	1505	SPA2232	2187	SPA3750	3705
SPA982	937	SPA1557	1512	SPA2240	2195	SPA4000	3955
SPA1000	955	SPA1582	1537	SPA2282	2237	SPA4250	4205
SPA1007	962	SPA1600	1555	SPA2300	2255	SPA4500	4455
SPA1030	985	SPA1607	1562	SPA2307	2262		
SPA1060	1015	SPA1632	1587	SPA2332	2287		
SPA1082	1037	SPA1650	1605	SPA2360	2315		
SPA1090	1045	SPA1657	1612	SPA2382	2337		
SPA1107	1062	SPA1682	1637	SPA2430	2385		
SPA1120	1075	SPA1700	1655	SPA2482	2437		
SPA1132	1087	SPA1707	1662	SPA2500	2455		
SPA1150	1105	SPA1732	1687	SPA2532	2487		
SPA1157	1112	SPA1750	1705	SPA2580	2535		
SPA1180	1135	SPA1757	1712	SPA2607	2562		
SPA1207	1162	SPA1782	1737	SPA2632	2587		
SPA1220	1175	SPA1800	1755	SPA2650	2605		
SPA1232	1187	SPA1807	1762	SPA2682	2637		
SPA1250	1205	SPA1832	1787	SPA2720	2675		
SPA1257	1212	SPA1850	1805	SPA2732	2687		



SPB (5V) Section V Belts

(SPBX, XPB, 5VX = Cogged Belt)



Pitch Length = Inside Length + 67MM

Pitch Length = Outside Length - 17MM

Outside Length = Inside Length + 80MM


Metric Size (Pitch Length MM)	Imperial Designation	Inside Length (MM)	Metric Size (Pitch Length MM)	Imperial Designation	Inside Length (MM)
SPB1250		1183	SPB2900		2833
SPB1260	5V500	1193	SPB3000	5V1180	2933
SPB1320		1253	SPB3150		3083
SPB1340	5V530	1273	SPB3170	5V1250	3103
SPB1400		1333	SPB3250	5V1320	3183
SPB1410	5V560	1343	SPB3350		3283
SPB1500	5V595	1433	SPB3450	5V1400	3383
SPB1550		1483	SPB3550		3483
SPB1600	5V630	1533	SPB3750	5V1500	3683
SPB1670		1603	SPB3800		3733
SPB1700		1633	SPB3870		3803
SPB1750		1683	SPB4000		3933
SPB1800	5V710	1733	SPB4060	5V1600	3993
SPB1850		1783	SPB4250		4183
SPB1900	5V750	1833	SPB4310	5V1700	4243
SPB1950		1883	SPB4500		4433
SPB1980		1913	SPB4560	5V1800	4493
SPB2000	5V790	1933	SPB4750		4683
SPB2020	5V800	1953	SPB4820	5V1900	4753
SPB2060		1993	SPB5000		4933
SPB2120		2053	SPB5070	5V2000	5003
SPB2150	5V850	2083	SPB5300		5233
SPB2240		2173	SPB5380	5V2120	5313
SPB2280	5V900	2213	SPB5600		5533
SPB2360		2293	SPB5680	5V2240	5613
SPB2410	5V950	2343	SPB6000	5V2360	5933
SPB2450		2383	SPB6300		6233
SPB2500		2433	SPB6340	5V2500	6273
SPB2530	5V1000	2463	SPB6700		6633
SPB2580		2513	SPB7100	5V2800	7033
SPB2650		2583	SPB7500		7433
SPB2680	5V1060	2613	SPB9000	5V3150	8933
SPB2720		2653			
SPB2800		2733			
SPB2840	5V1120	2773			



Farrell Bearings Ltd

SPC Section V Belts

(SPCX, XPC = Cogged Belt)



Pitch Length = Inside Length + 87MM


Pitch Length = Outside Length - 26MM

Metric Size (Pitch Length MM)	Inside Length (MM)
SPC2000	1913
SPC2120	2033
SPC2240	2153
SPC2360	2273
SPC2500	2413
SPC2650	2563
SPC2800	2713
SPC3000	2913
SPC3150	3063
SPC3350	3263
SPC3550	3463
SPC3750	3663
SPC4000	3913
SPC4250	4163
SPC4500	4413
SPC4750	4663
SPC5000	4913
SPC5300	5213
SPC5600	5513
SPC6000	5913
SPC6300	6213
SPC6700	6613
SPC7100	7013
SPC7500	7413
SPC8000	7913
SPC8500	8413
SPC9000	8913
SPC9500	9413
SPC10000	9913
SPC10600	10513
SPC11200	11113
SPC11800	11713
SPC12500	12413



SPZ (3V) Section V Belts

(SPZX, XPZ, 3VX = Cogged Belt)



Metric Size = Pitch Length MM

Pitch Length = Inside Length MM + 38MM

Pitch Length = Outside Length MM - 13MM


Outside Length = Inside Length + 42MM

Metric Size	Imperial Designation	Inside Length (MM)	Metric Size	Imperial Designation	Inside Length (MM)	Metric Size	Imperial Designation	Inside Length (MM)
SPZ487		449	SPZ1087		1049	SPZ1700	3V670	1662
SPZ512		474	SPZ1112		1074	SPZ1737		1699
SPZ562		524	SPZ1120		1082	SPZ1762		1724
SPZ587		549	SPZ1140	3V450	1102	SPZ1787		1749
SPZ612		574	SPZ1162		1124	SPZ1800	3V710	1762
SPZ630	3V250	592	SPZ1180		1142	SPZ1812		1774
SPZ637		599	SPZ1187		1149	SPZ1837		1799
SPZ662		624	SPZ1200	3V475	1162	SPZ1850	3V730	1812
SPZ670	3V265	632	SPZ1212		1174	SPZ1862		1824
SPZ687		649	SPZ1237		1199	SPZ1887		1849
SPZ710	3V280	672	SPZ1250		1212	SPZ1900	3V750	1862
SPZ722		684	SPZ1262		1224	SPZ1937		1899
SPZ737		699	SPZ1270	3V500	1232	SPZ1987	3V800	1949
SPZ750		712	SPZ1287		1249	SPZ2000		1962
SPZ760	3V300	722	SPZ1312		1274	SPZ2030		1992
SPZ772		734	SPZ1320		1282	SPZ2037		1999
SPZ787		749	SPZ1340	3V530	1302	SPZ2120	3V830	2082
SPZ800	3V315	762	SPZ1347		1309	SPZ2137		2099
SPZ812		774	SPZ1362		1324	SPZ2160	3V850	2122
SPZ825		787	SPZ1387		1349	SPZ2187		2149
SPZ837		799	SPZ1400		1362	SPZ2240		2202
SPZ850	3V335	812	SPZ1412		1374	SPZ2262		2224
SPZ862		824	SPZ1420	3V560	1382	SPZ2280	3V900	2242
SPZ875		837	SPZ1437		1399	SPZ2287		2249
SPZ887		849	SPZ1462		1424	SPZ2360		2322
SPZ900	3V355	862	SPZ1470	3V580	1432	SPZ2410	3V950	2372
SPZ912		874	SPZ1487		1449	SPZ2500		2462
SPZ925		887	SPZ1500		1462	SPZ2540	3V1000	2502
SPZ940	3V370	902	SPZ1512		1474	SPZ2650		2612
SPZ950	3V375	912	SPZ1520	3V600	1482	SPZ2690	3V1060	2652
SPZ962		924	SPZ1537		1499	SPZ2800		2762
SPZ987		949	SPZ1560	3V617	1522	SPZ2840	3V1120	2802
SPZ1000		962	SPZ1587		1549	SPZ3000	3V1180	2962
SPZ1010	3V400	972	SPZ1600	3V630	1562	SPZ3150		3112
SPZ1024		986	SPZ1612		1574	SPZ3170	3V1250	3132
SPZ1037		999	SPZ1637		1599	SPZ3350		3312
SPZ1047		1009	SPZ1650	3V650	1612	SPZ3550	3V1400	3512
SPZ1060		1022	SPZ1662		1624			
SPZ1080	3V425	1042	SPZ1687		1649			



A Section V Belts

(AX = Cogged Belt)




Inside Length mm = Pitch Length - 33mm
inside Length " = Inside Length MM /25.4

Imperial Size (Inside Length ")	Inside Length (MM)	Metric Size (Pitch Length MM)	Imperial Size	Inside Length (MM)	Metric Size	Imperial Size	Inside Length (MM)	Metric Size
A20	507	A540	A55	1397	A1430	A91	2317	A2350
A21	537	A570	A56	1427	A1460	A92	2337	A2370
A22	557	A590	A57	1447	A1480	A93	2367	A2400
A23	587	A620	A58	1477	A1510	A94	2387	A2420
A24	607	A640	A59	1497	A1530	A95	2417	A2450
A25	637	A670	A60	1517	A1550	A96	2447	A2480
A26	667	A700	A61	1547	A1580	A97	2467	A2500
A27	687	A720	A62	1577	A1610	A100	2717	A2750
A28	707	A740	A63	1607	A1640	A102	2597	A2630
A29	737	A770	A64	1627	A1660	A103	2617	A2650
A30	757	A790	A65	1657	A1690	A104	2647	A2680
A31	787	A820	A66	1677	A1710	A105	2667	A2700
A32	817	A850	A67	1707	A1740	A107	2717	A2750
A33	837	A870	A68	1727	A1760	A108	2747	A2780
A34	857	A890	A69	1757	A1790	A110	2797	A2830
A35	887	A920	A70	1777	A1810	A112	2847	A2880
-	897	A930	A71	1807	A1840	A113	2877	A2910
A36	917	A950	A72	1827	A1860	A115	2927	A2960
A37	937	A970	A73	1857	A1890	A116	2947	A2980
A38	957	A990	A74	1887	A1920	A120	3047	A3080
A39	987	A1020	A75	1907	A1940	A124	3157	A3190
A40	1017	A1050	A76	1927	A1960	A128	3257	A3290
A41	1037	A1070	A77	1957	A1990	A134	3407	A3440
A42	1067	A1100	A78	1987	A2020	A136	3457	A3490
A43	1097	A1130	A79	2017	A2050	A138	3507	A3540
A44	1117	A1150	A80	2037	A2070	A144	3657	A3690
A45	1147	A1180	A81	2057	A2090	A154	3917	A3950
A46	1167	A1200	A82	2087	A2120			
A47	1197	A1230	A83	2107	A2140			
A48	1217	A1250	A84	2137	A2170			
A49	1247	A1280	A85	2167	A2200			
A50	1267	A1300	A86	2187	A2220			
A51	1297	A1330	A87	2207	A2240			
A52	1327	A1360	A88	2237	A2270			
A53	1347	A1380	A89	2267	A2300			
A54	1377	A1410	A90	2287	A2320			



B Section V Belts

(BX = Cogged Belt)



Inside Length mm = Pitch Length - 43mm


inside Length " = Inside Length MM / 25.4

Imperial Size (Inside Length ")	Inside Length (MM)	Metric Size (Pitch Length MM)	Imperial Size	Inside Length (MM)	Metric Size	Imperial Size	Inside Length (MM)	Metric Size
B26	657	B700	B67	1697	B1740	B110	2797	B2840
B28	707	B750	B68	1717	B1760	B111	2827	B2870
B30	757	B800	B69	1757	B1800	B112	2847	B2890
B31	787	B830	B70	1777	B1820	B114	2897	B2940
B32	817	B860	B71	1807	B1850	B116	2947	B2990
B33	837	B880	B72	1827	B1870	B118	2997	B3040
B34	867	B910	B73	1857	B1900	B120	3047	B3090
B35	887	B930	B74	1877	B1920	B122	3097	B3140
B36	917	B960	B75	1907	B1950	B124	3157	B3200
B37	937	B980	B76	1927	B1970	B126	3197	B3240
B38	957	B1000	B77	1957	B2000	B128	3247	B3290
B39	987	B1030	B78	1977	B2020	B130	3307	B3350
B40	1017	B1060	B79	2007	B2050	B132	3357	B3400
B41	1037	B1080	B80	2027	B2070	B134	3407	B3450
B42	1057	B1100	B81	2057	B2100	B136	3457	B3500
B43	1087	B1130	B82	2087	B2130	B138	3507	B3550
B44	1117	B1160	B83	2107	B2150	B140	3557	B3600
B45	1137	B1180	B84	2137	B2180	B144	3657	B3700
B46	1167	B1210	B85	2157	B2200	B148	3757	B3800
B47	1197	B1240	B86	2187	B2230	B150	3807	B3850
B48	1217	B1260	B87	2207	B2250	B151	3827	B3870
B49	1247	B1290	B88	2237	B2280	B152	3857	B3900
B50	1267	B1310	B89	2257	B2300	B154	3907	B3950
B51	1297	B1340	B90	2287	B2330	B158	4017	B4060
B52	1327	B1370	B91	2307	B2350	B162	4117	B4160
B53	1347	B1390	B92	2337	B2380	B168	4267	B4310
B54	1367	B1410	B93	2357	B2400	B173	4387	B4430
B55	1397	B1440	B94	2377	B2420	B180	4567	B4610
B56	1417	B1460	B95	2407	B2450	B185	4697	B4740
B57	1447	B1490	B96	2437	B2480	B195	4957	B5000
B58	1467	B1510	B97	2457	B2500	B204	5177	B5220
B59	1497	B1540	B98	2487	B2530	B210	5327	B5370
B60	1517	B1560	B100	2537	B2580	B218	5537	B5580
B61	1547	B1590	B102	2587	B2630	B220	5587	B5630
B62	1577	B1620	B103	2617	B2660	B238	6027	B6070
B63	1597	B1640	B104	2637	B2680			
B64	1627	B1670	B105	2657	B2700			
B65	1647	B1690	B106	2697	B2740			
B66	1677	B1720	B108	2747	B2790			



C Section V Belts

(CX = Cogged Belt)




Inside Length mm = Pitch Length - 62mm
inside Length " = Inside Length MM / 25.4

Imperial Size (Inside Length ")	Inside Length (MM)	Metric Size (Pitch Length MM)	Imperial Size	Inside Length (MM)	Metric Size	Imperial Size	Inside Length (MM)	Metric Size
C49	1238	C1300	C112	2838	C2900	C238	6038	C6100
C51	1288	C1350	C114	2888	C2950	C240	6088	C6150
C55	1388	C1450	C116	2938	C3000	C248	6298	C6360
C56	1418	C1480	C119	3018	C3080	C258	6548	C6610
C58	1468	C1530	C120	3038	C3100	C260	6598	C6660
C59	1498	C1560	C124	3148	C3210	C268	6798	C6860
C60	1518	C1580	C128	3248	C3310	C270	6848	C6910
C63	1588	C1650	C130	3298	C3360	C278	7058	C7120
C65	1638	C1700	C134	3398	C3460	C297	7538	C7600
C67	1698	C1760	C136	3458	C3520	C298	7558	C7620
C68	1718	C1780	C138	3498	C3560	C314	7968	C8030
C70	1768	C1830	C140	3548	C3610	C328	8328	C8390
C71	1798	C1860	C142	3598	C3660	C356	9038	C9100
C72	1818	C1880	C144	3648	C3710	C358	9088	C9150
C75	1888	C1950	C146	3698	C3760	C382	9698	C9760
C77	1948	C2010	C150	3808	C3870	C418	10608	C10670
C78	1978	C2040	C152	3858	C3920	C419	10638	C10700
C80	2028	C2090	C154	3908	C3970	C444	11268	C11330
C81	2048	C2110	C158	3998	C4060			
C83	2098	C2160	C162	4108	C4170			
C84	2128	C2190	C164	4158	C4220			
C85	2138	C2200	C168	4258	C4320			
C87	2208	C2270	C173	4388	C4450			
C90	2278	C2340	C175	4438	C4500			
C93	2358	C2420	C179	4538	C4600			
C94	2378	C2440	C180	4568	C4630			
C96	2428	C2490	C185	4688	C4750			
C97	2458	C2520	C186	4718	C4780			
C98	2488	C2550	C190	4818	C4880			
C100	2538	C2600	C195	4948	C5010			
C102	2588	C2650	C200	978	C51040			
C104	2638	C2700	C204	5178	C5240			
C105	2658	C2720	C210	5318	C5380			
C108	2738	C2800	C220	5578	C5640			
C110	2788	C2850	C223	5658	C5720			
C111	2818	C2880	C228	5788	C5850			



D Section V Belts

(DX = Cogged Belt)



Inside Length mm = Pitch Length - 82mm


inside Length " = Inside Length MM / 25.4

Imperial Size (Inside Length ")	Inside Length (MM)	Metric Size (Pitch Length MM)
D105	2658	D2740
D120	3048	D3130
D128	3248	D3330
D144	3648	D3730
D158	3998	D4080
D162	4108	D4190
D173	4388	D4470
D179	4538	D4620
D180	4568	D4650
D195	4948	D5030
D204	5178	D5260
D210	5318	D5400
D225	5708	D5790
D228	5788	D5870
D237	6018	D6100
D238	6038	D6120
D240	6088	D6170
D266	6758	D6840
D268	6808	D6890
D270	6858	D6940
D297	7538	D7620
D298	7568	D7650
D300	7618	D7700
D314	7968	D8050
D328	8328	D8410
D357	9058	D9140
D358	9088	D9170
D384	9748	D9830
D390	9898	D9980
D418	10618	D10700
D478	12118	D12200
D538	13618	D13700



M Section V Belts

(MX = Cogged Belt)



Inside Length mm = Pitch Length - 25mm

inside Length " = Inside Length MM / 25.4

Imperial Size (Inside Length ")	Inside Length (MM)	Metric Size (Pitch Length MM)
M20	505	Z530
M21	535	Z560
M23	585	Z610
M24	600	Z625
M25	635	Z660
M27	675	Z700
M28	705	Z730
M30	755	Z780
M31	785	Z810
M32	815	Z840
M34	865	Z890
M35	895	Z920
M36	915	Z940
M37	935	Z960
M38	965	Z990
M39	985	Z1010
M40	1015	Z1040
M41	1035	Z1060
M42	1055	Z1080
M43	1095	Z1120
M44	1115	Z1140
M46	1165	Z1190
M47	1195	Z1220
M48	1215	Z1240
M50	1265	Z1290
M51	1295	Z1320
M53	1345	Z1370
M54	1375	Z1400
M55	1395	Z1420
M56	1425	Z1450
M60	1525	Z1550